Webasto

Feel the Drive

Catalogue

GENUINE Webasto PRODUCTS

Webasto
Feel the Drive

Air Top 2000 ST

Air Heater

Cab heating, fuel savings and emissions reduction

The Air Top 2000 ST is the most popular choice in idle reduction technology. Millions are being used in various applications around the world. Perfect for cab heating, the Air Top 2000 ST gets the job done with 7,000 Btu/h of heat output. This compact unit is low on maintenance, service-friendly and the most efficient air heater on the market. The Air Top 2000 ST can pay for itself within months.

Air Heater Features:

- Provides rapid cab heat without idling
- Uses as little as 1 Gallon of fuel in a 22 hour period
- CARB approved and EPA SmartWay verified
- Fast Return on Investment
- Quiet operation ensures a restful night's sleep
- Full diagnostics with PC interface available
- High heat output in a compact design
- Proven quality & reliable performance
- Tested & Verified
- 7,000 Btu/h output

GENUINE Webasto PRODUCTS

Technical Specifications

	Air Top 2000 ST
Heating Capacity	3,100 – 7,000 Btu/h (0.9 – 2.0 kW)
Fuel	Diesel #1, Diesel #2, Arctic, Biodiesel B5 & B20
Fuel Consumption	0.03 – 0.06 gal/h (0.12 – 0.24 l/h)
Rated Voltage	12 or 24 V
Operating Voltage Range	10.5 – 16 or 12 – 32 V
Rated Input	1.25 – 2.45 Amps (14 – 29 Watts)
Air Flow	37 cfm (63 m^3/h)
Dimensions (L x W x H)	12.25 x 4.78 x 4.85 in (311 x 120 x 121 mm)
Weight	5.73 lbs (2.6 kg)

Available Air Top 2000 ST Heater Kits:

Air Top 2000 ST Diesel Kit (12 V) - Part No: 5001114A

Air Top 2000 ST Diesel Kit (24 V) - Part No: 5001314A

Standard Kit Components:

- Integrated Control Unit
- On/Off Switch with Variable Termperature Control
- Fuel Metering Pump w/Mounting Bracket
- Fuel Line and Fuel Filter
- Universal Fuel Standpipe
- Heater Mounting Bracket w/Gasket
- Wiring Harness w/Fuse Holder
- Exhaust Tubing
- Combustion Air Tubing and Heater Ducting
- Air Inlet/Outlet Vent
- Operation/Installation Manual
- 2 Year/2000 Hour Limited Warranty

Optional Accessories:

7-Day Comfort Timer - Part No: 88206A

Remote Temperature Sensor - Part No: 9005004B

System Schematic



1. Air Top 2000 ST Heater
2. Control Dial
3. Cold Air Inlet
4. Hot Air Outlet/Ducting
5. Combustion Air Inlet
6. Exhaust Outlet
7. Fuel Metering Pump
8. Fuel Filter
9. Fuel Standpipe

Part Number 909477 • 11/12 • Errors and omissions excepted • Printed in USA • © Webasto Thermo & Comfort North America, Inc. 2012

Webasto Thermo & Comfort
North America, Inc.

15083 North Road

Fenton, Michigan 48430

USA

Toll Free: 800-860-7866

Phone: 810-593-6000

www.webasto.us

Webasto
Feel the Drive

Thermo Top C

Coolant Heater

Engine pre-heat, fuel savings and emissions reduction

Compact and reliable, the Thermo Top C utilizes proven technology with millions of units currently in use. Its high output in a small package makes it the perfect solution for engine pre-heating, fuel savings and emission reduction.

Coolant Heater Features:

- Provides engine pre-heat without idling
- Uses as little as 1 Gallon of fuel in a 10 hour period
- CARB approved and EPA SmartWay verified
- Fast Return on Investment
- Full diagnostics with PC interface available
- Increases Productivity
- 17,200 Btu/h output

GENUINE Webasto PRODUCTS

Technical Specifications

	Thermo Top C
Heating Capacity	8,600 – 17,200 Btu/h (2.5 – 5.0 kW)
Fuel	Diesel #1, Diesel #2 Arctic, Biodiesel B5 & B20
Fuel Consumption	0.08 – 0.16 gal/h (0.30 – 0.61 l/h)
Rated Voltage	12 V
Operating Voltage Range	10.5 – 15 V
Rated Input	3.8 Amps (46 W)
Water Flow	2 gal/min at 1.9 PSI (450 l/h at 0.13 bar)
Dimensions (L x W x H)	9.125 x 4.125 x 6.4 in (232 x 105 x 193 mm)
Weight	7 lbs (3.2 kg)

Available Thermo Top C Heater Kits:

Thermo Top C Diesel Kit (12 V) - Part No: 923369

Thermo Top C Diesel Kit w/enclosure (12 V) - Part No: 5010087A

Standard Kit Components:

- Integrated Control Unit
- On/Off Switch
- Fuel Metering Pump w/Mounting Bracket
- Fuel Line
- Fuel Filter
- Universal Fuel Standpipe
- Exhaust Tubing
- Combustion Air Tubing
- Wiring Harness w/ Fuse Holder
- PC Interface Diagnostics
- Operation/Installation Manual
- 2 Year/2000 Hour Limited Warranty

Optional Accessories:

7-Day Digital Timer (Engine Preheat) - Part No: 906108A

Timer Mounting Frame (In Dash) - Part No: 474630

Timer Mounting Bracket (Under Dash) - Part No: 906218

Heater Mounting Bracket - Part No: 901088

System Schematic



1. Thermo Top C Heater
2. Heated Coolant Outlet
3. Cold Coolant Inlet
4. Fuel Pump
5. Fuel Line
6. Fuel Pickup
7. Fuel Tank
8. Combustion Air Intake
9. Exhaust Tube
10. Circulation Pump
11. Fuel Filter

Part Number 909485 • 11/12 • Errors and omissions excepted • Printed in USA • © Webasto Thermo & Comfort North America, Inc. 2012

Webasto Thermo & Comfort
North America, Inc.

15083 North Road

Fenton, Michigan 48430

USA

Toll Free: 800-860-7866

Phone: 810-593-6000

www.webasto.us

Webasto
Feel the Drive

Thermo 230 / 300 / 350

Coolant Heaters

Be Ready For Work

Webasto coolant heaters are designed to perform in the most demanding weather conditions. They offer the ideal solution for engine pre-heat, operator comfort and increased productivity. When combined with hydraulic fluid warmers they can also be used to heat fuel and hydraulic fluids.

Coolant Heater Features:

- Provides engine pre-heat and interior cab heat
- Full diagnostics with PC interface available
- Eliminates cold starts
- Heats hydraulic fluid with optional hydraulic system warmer

Technical Specifications

	Thermo 230	Thermo 300	Thermo 350
Heating Capacity	85,000 Btu/h (25 kW)	102,000 Btu/h (30 kW)	120,000 Btu/h (35 kW)
Fuel	Diesel #1, Biodiesel B20		
Fuel Consumption	0.8 gal/h (3.0 l/h)	1.2 gal/h (4.5 l/h)	1.35 gal/h (5.1 l/h)
Rated Voltage	24 V	24 V	24 V
Power Consumption	2.7 Amps (65 W)	4.6 Amps (110 W)	5.8 Amps (140 W)
Dimensions (L x W x H)	24 x 9.75 x 8.675 in (610 x 246 x 220 mm)x 220 mm)		
Weight	42 lbs (19 kg) / 103 lbs (46.7 kg) w/enclosure		

Available Thermo Series Coolant Heater Kits:

- Thermo 230 Heater (Heater only) - Part No: 63647B
- Thermo 300 Heater (Heater only) - Part No: 63650B
- Thermo 350 Heater (Heater only) - Part No: 9012660A
- Thermo 350 Enclosure Box Heater Kit - Part No: 5001406A

Standard Kit Components::

- Integrated Control Unit
- Fuel Filter
- Weather Protective Heater Enclosure
- Magnetic Drive Coolant Pump
- Blink Code Diagnostics and PC Interface Diagnostics
- Operation/Installation Manual
- 2 Year/2000 Hour Limited Warranty

Optional Accessories for Compact and Enclosure Kits:

7-Day Digital Timer w/Alarm (Model 1531) - Part No: 905798

Part Number 909493 • 11/12 • Errors and omissions excepted • Printed in USA • © Webasto Thermo & Comfort North America, Inc. 2012

Webasto Thermo & Comfort North America, Inc.

15083 North Road

Fenton, Michigan 48430

USA

Toll Free: 800-860-7866

Phone: 810-593-6000

www.webasto.us

Webasto
Feel the Drive

Thermo 90 ST

Coolant Heater

Be Ready For Work

Webasto coolant heaters are designed to perform in the most demanding weather conditions. They offer the ideal solution for engine pre-heat, operator comfort and increased productivity. When combined with hydraulic fluid warmers they can also be used to heat fuel and hydraulic fluids.

This unique combination will eliminate cold starts, reduce maintenance costs and have your vehicles ready to go when workers arrive to start the day.

Coolant Heater Features:

- Provides engine pre-heat and interior cab heat
- Eliminates cold starts
- Full diagnostics with PC interface available
- CARB approved and EPA SmartWay verified
- Boost feature for quicker engine pre-heat
- Heats hydraulic fluid with optional hydraulic system warmer

GENUINE Webasto PRODUCTS

Thermo 90 ST Technical Specifications

	Thermo 90 ST
Heating Capacity	6,100 – 31,000 Btu/h (1.8 – 9.1 kW)
Fuel	Diesel #1, Diesel #2, Arctic
Fuel Consumption	0.06 – 0.29 gal/h (0.19 – 1.1 l/h)
Rated Voltage	12 or 24 V
Power Consumption	12 V: 3.0 – 7.5 Amps 24 V: 1.53 – 3.75 Amps
Water Flow	7.3 gal/min at 2.2 PSI (1.650 l/h at 0.15 bar)
Dimensions (L x W x H)	15.75 x 7.5 x 14 in (401 x 191 x 356 mm)
Weight	10.6 lbs (4.8 kg) / 35 lbs (15.8 kg) w/enclosure

Available Thermo 90 ST Heater Kits:

Heater Kit w/enclosure (12 V) - Part Number: 5001226A
Heater Kit w/enclosure (24 V) - Part Number: 5001232A
Compact Heater Kit (12 V) - Part Number: 5001224A
Compact Heater Kit (24 V) - Part Number: 5001233A

Standard Kit Components::

- Integrated Control Unit
- Fuel Metering Pump w/Mounting Bracket
- Fuel Line w/Couplers and Clamps
- Fuel Filter
- Universal Fuel Standpipe
- Fuel Pump Power Harness
- Wiring Harness w/On/Off Switch and Fuse Block
- Exhaust Muffler w/Mounting Hardware
- Weather Protective Heater Enclosure
- Magnetic Drive Coolant Pump
- Blink Code Diagnostics and PC Interface Diagnostics
- Operation/Installation Manual
- 2 Year/2000 Hour Limited Warranty

Optional Accessories for Compact and Enclosure Kits:

7-Day Digital Timer w/Alarm (Model 1531) - Part No: 905797

Optional Accessories for Enclosure Kits:

Mounting Bracket Kit (Cross Frame) - Part No: 600055
Mounting Bracket Kit (Perpendicular) - Part No: 905822

System Schematic



1. Webasto Thermo 90 ST
2. Electronic Control Unit
3. Fuel Metering Pump
4. Fuel Line
5. Fuel Filter
6. Fuel Standpipe
7. Exhaust Tubing
8. Muffler
9. Air Intake Tubing
10. Water Circulating Pump
11. Fuel Line Coupler
12. Clamp
13. On/Off Switch

Part Number 909489 • 11/12 • Errors and omissions excepted • Printed in USA • © Webasto Thermo & Comfort North America, Inc. 2012

Webasto Thermo & Comfort
North America, Inc.
15083 North Road
Fenton, Michigan 48430
USA
Toll Free: 800-860-7866
Phone: 810-593-6000

www.webasto.us

Webasto
Feel the Drive

Thermo 50

Coolant Heater

(formerly known as the TSL 17)

Engine pre-heat, fuel savings and emissions reduction
Compact and reliable, the Thermo 50 pre-heats the engine to the optimal start temperature. Its high output in a small package makes it the perfect solution for engine pre-heating, fuel savings and emission reduction.

Simply turn the heater on before the shift starts and the engine will be at ideal operating temperature when it is time to begin work.

Coolant Heater Features:

- Provides engine pre-heat without idling
- Uses as little as 1 Gallon of fuel in a 10 hour period
- CARB approved and EPA SmartWay verified
- Fast Return on Investment
- Full diagnostics with PC interface available
- Increase Productivity
- 17,000 Btu/h output

GENUINE Webasto PRODUCTS

Technical Specifications

	Thermo 50
Heating Capacity	7,500 – 17,000 Btu/h (2.1 – 4.9 kW)
Fuel	Diesel #1, Diesel #2, Arctic, Biodiesel B5 & B20
Fuel Consumption	0.07 – 0.16 gal/h (0.27 – 0.63 l/h)
Rated Voltage	24 V
Rated Input	1.42 – 2.08 Amps (34 – 50 W)
Water Flow	3.96 gal/min at 1.45 PSI (900 l/h at 0.1 bar)
Dimensions (L x W x H)	9.3 x 4.2 x 7.6 in (236 x 106 x 193 mm)
Weight	7.7 lbs (3.5 kg)

Available Thermo 50 Heater Kit:

Thermo 50 Diesel Kit (24 V) - Part No: 50000010

Standard Kit Components:

- Integrated Control Unit
- On/Off Switch
- Fuel Metering Pump w/Mounting Bracket
- Fuel Line
- Fuel Filter
- Universal Fuel Standpipe
- Exhaust Tubing
- Combustion Air Tubing
- Wiring Harness w/Fuse Holder
- Operation/Installation Manual
- 2 Year/2000 Hour Limited Warranty

Optional Accessories:

7-Day Digital Timer (Engine Preheat) - Part No: 906108A
Timer Mounting Frame (In Dash) - Part No: 474630
Timer Mounting Bracket (Under Dash) - Part No: 906218
Heater Mounting Bracket - Part No: 901088

System Schematic



1. Thermo 50 Heater
2. Heated Coolant Outlet
3. Cold Coolant Inlet
4. Fuel Pump
5. Fuel Line
6. Fuel Pickup
7. Fuel Tank
8. Combustion Air Intake
9. Exhaust Tube
10. Circulation Pump
11. Fuel Filter

Part Number 909487 • 11/12 • Errors and omissions excepted • Printed in USA • © Webasto Thermo & Comfort North America, Inc. 2012

Webasto Thermo & Comfort
North America, Inc.
15083 North Road
Fenton, Michigan 48430
USA
Toll Free: 800-860-7866
Phone: 810-593-6000

Webasto
Feel the Drive

Air Top Evo

Air Heater

Save Fuel and Reduce Emissions

The Air Top Evo series offers high output and advanced functionality. When used with the multi-functional controller, the Air Top Evo can be set to boost mode for increased output, altitude mode for performance in higher elevations, and eco mode for reduced fuel consumption.

The Air Top Evo 3900 is used in vehicles that operate in extreme conditions. With the highest output of 18,700 Btu/h the Air Top Evo 5500 is mainly used in large cargo applications.

Air Heater Features:

- Reduces idling and fuel consumption
- Fast Return on Investment
- Quiet operation ensures a restful night's sleep
- Reduces engine wear and maintenance costs
- Reduces exhaust emissions
- High output in a compact design: 13,300 and 18,700 Btu/h
- Full diagnostics with PC interface available
- Self-cleaning evaporative burner

GENUINE Webasto PRODUCTS

Technical Specifications

	Air Top Evo 3900	Air Top Evo 5500
Heating Capacity	5,100 – 12,000 / 13,300* Btu/h (1.5 – 3.5 / 3.9* kW)	5,100 – 17,000 / 18,700* Btu/h (1.5 – 5.0 / 5.5* kW)
Fuel	Gasoline, Diesel #1, Diesel #2, Arctic, Biodiesel B5 & B20	
Fuel Consumption	0.05 – 0.12 / 0.13* gal/h (0.19 – 0.44 / 0.5* l/h)	0.05 – 0.17 / 0.18* gal/h (0.19 – 0.63 / 0.70* l/h)
Rated Voltage	12 or 24 V	
Operating Voltage Range	10.5 – 16 or 12 – 32 V	
Rated Input	1.25 – 3.3 / 4.58* Amps (15 – 40 / 55* W)	1.25 – 7.92 / 10.83* Amps (15 – 95 / 130* W)
Air Flow	77.7 / 81.8* cfm (132 / 139* m^3/h)	117.7 / 129.5* cfm (200 / 220* m^3/h)
Dimensions (L x W x H)	16.65 x 5.83 x 6.38 in (423 x 148 x 162 mm)	
Weight	13 lbs (5.9 kg)	

*This figure applies when the product is in Boost Mode

Available Air Top Evo Heater Kits:

Air Top 3900 Evo Diesel Kit (12V) - Part Number: 5001446A
Air Top 3900 Evo Diesel Kit (24V) - Part Number: 5001454A
Air Top 5500 Evo Diesel Kit (12V) - Part Number: 5001458A
Air Top 5500 Evo Diesel Kit (24V) - Part Number: 5001466A

Kit Components:

- Integrated Control Unit
- On/Off Switch w/Variable Temperature Control
- Fuel Metering Pump w/Mounting Bracket
- Fuel Line
- Fuel Filter
- Universal Fuel Standpipe
- Heater Mounting Bracket w/Gasket
- Wiring Harness w/Fuse Holder
- Exhaust Tubing
- Combustion Air Tubing
- Heater Ducting
- Air Inlet/Outlet Vent
- Operation/Installation Manual
- 2 Year/2000 Hour Limited Warranty

Optional Components:

- 7-Day Comfort Timer
- Multi-functional Control

System Schematic



1. Air Top Evo Heater
2. Cold Air Inlet
3. Hot Air Outlet/Ducting
4. Combustion Air Inlet
5. Exhaust Outlet
6. Fuel Metering Pump
7. Fuel Filter
8. Fuel Standpipe
9. Control Dial

Part Number 909479 • 11/12 • Errors and omissions excepted • Printed in USA • © Webasto Thermo & Comfort North America, Inc. 2012

Webasto Thermo & Comfort
North America, Inc.
15083 North Road
Fenton, Michigan 48430
USA
Toll Free: 800-860-7866
Phone: 810-593-6000

www.webasto.us

Webasto
Feel the Drive

DBW 2020 / 300

Coolant Heater

Save Fuel, Reduce Emissions and Increase Productivity

Available in 12 and 24 Volt models, the DBW 2020 and 300 make engine pre-heat and interior heat look easy. The heaters boast 80,000 and 104,000 Btu/h of output respectively, and can be used in buses, off-highway, construction, mining, and other heavy equipment.

Coolant Heater Features:

- Engine pre-heat for large engines
- Provides interior cab heat
- Eliminates cold starts
- Fast Return on Investment
- Available in 12 Volt and 24 Volt
- Heats hydraulic fluid with optional accessories

Technical Specifications

	DBW 2020
Heating Capacity	80,000 Btu/h (23.3 kW)
Fuel	Diesel #1, Diesel #2, Biodiesel B20
Fuel Consumption	0.79 gal/h (3.0 l/h)
Rated Voltage	12 or 24 V
Power Consumption	10 or 5 Amps (120 W)
Dimensions (L x W x H)	27 x 9.5 x 11 in (680 x 240 x 279 mm)
Weight	48 lbs (22 kg)

Available DBW 2020 Heater Kits:

DBW 2020.63 Diesel Kit w/enclosure (12 V)* - Part No: 5000215A
DBW 2020.63 Diesel Kit w/enclosure (12 V) - Part No: 920462
DBW 2020.64 Diesel Kit w/enclosure (24 V)* - Part No: 920464
DBW 2020.64 Diesel Kit w/enclosure (24 V)* - Part No: 923010
*with nozzle pre-heat

Kit Components:

- Fuel Filter
- On/Off Switch
- Power/Control Harnesses w/Fuse Block
- Exhaust Pipe w/Mounting Hardware
- Weather Protective Heater Enclosure*
- Magnetic Drive Coolant Pump
- Miscellaneous Installation Hardware (Bag)
- Operation/Installation Manual
- 2 Year/2000 Hour Limited Warranty

Optional Accessories

7-Day Digital Timer (Model 1529) Part No: 905770
7-Day Digital Timer (Model 1529) Part No: 905774
Mounting Bracket Kit (Cross Frame) Part No: 600055

Pump Options:

64814 (12 V and 24 V) - Part No: 5000215A
U4855 (24 V) - Part No: 920462
U4856 (24 V) - Part No: 920464

Technical Specifications

	DBW 300
Heating Capacity	104,000 Btu/h (30.0 kW)
Fuel	Diesel #1, Diesel #2, Biodiesel B20
Fuel Consumption	0.95 gal/h (4.0 l/h)
Rated Voltage	12 or 24 V
Power Consumption	10.8 or 5.4 Amps (130 W)
Dimensions (L x W x H)	27 x 9.5 x 11 in (680 x 240 x 279 mm)
Weight	48 lbs (22 kg)

Available DBW 300 Heater Kits:

DBW 300.53 Diesel Compact Kit (12 V) - Part No: 920356
DBW 300.53 Diesel Compact Kit (24 V) - Part No: 920358
DBW 300.54 Diesel Kit w/enclosure (12 V) - Part No: 920467
DBW 300.54 Diesel Kit w/enclosure (12 V)* - Part No: 923012
DBW 300.53 Diesel Kit w/enclosure (24 V) - Part No: 920469
DBW 300.53 Diesel Kit w/enclosure (24 V)* - Part No: 923002
*with nozzle pre-heat

Kit Components:

- Enclosure Box
- Coolant Pump
- Power Switch and Harness
- Toggle Switch
- Fuel Filter
- Exhaust Flange
- Electrical Connector Kit
- Miscellaneous Installation Hardware (Bag)
- Operation/Installation Manual
- 2 Year/2000 Hour Limited Warranty

Optional Accessories

7-Day Digital Timer (Model 1529 12 V) Part No: 5010038A
7-Day Digital Timer (Model 1529 24 V) Part No: 82775A
7-Day Digital Timer (Model 1529 12 V) Part No: 905770*
7-Day Digital Timer (Model 1529 24 V) Part No: 905774*
**includes harness*

Part Number 909483 • 11/12 • Errors and omissions excepted • Printed in USA • © Webasto Thermo & Comfort North America, Inc. 2012

Webasto Thermo & Comfort
North America, Inc.
15083 North Road
Fenton, Michigan 48430
USA
Toll Free: 800-860-7866
Phone: 810-593-6000

www.webasto.us

Webasto
Feel the Drive

DBW 2010

Coolant Heater

Engine pre-heat and interior heat

Designed to provide engine pre-heat and interior heat in one unit, the DBW 2010 can do it all with 45,000 btu/h heat output. The DBW 2010 draws in cold engine coolant, then heats it and pumps it back to the vehicle's engine and HVAC system. The result is a pre-heated engine and warm interior. In extreme climates, you can also use the DBW 2010 with additional accessories to warm the fuel and keep it from gelling.

Coolant Heater Features:

- Eliminates cold starts
- Pre-heats large engines
- Provides interior cab heat
- 45,000 Btu/h output
- Fast Return on Investment
- CARB approved and EPA SmartWay verified

GENUINE Webasto PRODUCTS

Technical Specifications

	DBW 2010
Heating Capacity	45,000 Btu/h (13.0 kW)
Fuel	Diesel #1, Diesel #2, Arctic, Biodiesel B5 & B20
Fuel Consumption	0.4 gal/h (1.5 l/h)
Rated Voltage	12 or 24 V
Operating Voltage Range	10 – 14 or 20 – 28 V
Rated Input	60 W (without pump)
Dimensions (L x W x H)	24 x 10 x 11.75 in (610 x 254 x 298 mm)
Weight	65 lbs (29.5 kg) w/enclosure

Available DBW 2010 Heater Kits:

DBW 2010 Arctic Diesel Kit w/enclosure (12V) - Part No: 923005
DBW 2010 Arctic Diesel Kit w/enclosure (24V) - Part No: 920454
DBW 2010 Diesel Kit w/enclosure (12V) - Part No: 920273
DBW 2010 Diesel Kit w/enclosure (24V) - Part No: 920274
DBW 2010 Tray Mount Diesel Kit (12V) - Part No: 920266
DBW 2010 Tray Mount Diesel Kit (24V) - Part No: 690023

Kit Components:

- Integrated Control Unit
- Fuel Pump
- Fuel Line with Clamps
- Fuel Filter
- Universal Fuel Standpipe
- On/Off Switch
- Power/Control Harnesses w/Fuse Block
- Exhaust Pipe w/Mounting Hardware
- Weather Protective Heater Enclosure*
- Magnetic Drive Coolant Pump
- Miscellaneous Installation Hardware (Bagged)
- Operation/Installation Manual
- 2 Year/2000 Hour Limited Warranty

Optional Accessories:

7-Day Digital Timer (Model 1529) - Part No: 905770
7-Day Digital Timer (Model 1529) - Part No: 905774
Mounting Bracket Kit (Cross Frame) - Part No: 600055
Mounting Bracket Kit (Perpendicular)* - Part No: 600050

*Not available for the Tray Mounted DBW 2010

System Schematic



1. DBW 2010 Coolant Heater
2. Electronic Control Unit
3. Coolant Circulating Pump
4. Coolant Inlet Hose
5. Hot Coolant Outlet Hose
6. Exhaust Outlet
7. Combustion Air Inlet
8. Fuel Filter
9. Fuel Line
10. Fuel Standpipe
11. On/Off Switch

Part Number 909481 • 11/12 • Errors and omissions excepted • Printed in USA • © Webasto Thermo & Comfort North America, Inc. 2012

Webasto Thermo & Comfort
North America, Inc.
15083 North Road
Fenton, Michigan 48430
USA
Toll Free: 800-860-7866
Phone: 810-593-6000



Introducing Webasto's New SmarTemp Control

Driver's face many unique challenges. At the end of the day, they deserve comfort. Webasto's air heaters provide immediate heat, making cold nights more comfortable with the turn of a dial. Webasto's new SmarTemp Control makes temperature management easy.

Life on the Road just got More Comfortable

GENUINE Webasto PRODUCTS

Webasto has been in business for over 112 years and is the original manufacturer of fuel operated heaters. Rigorous durability and testing including cold chamber, salt spray, vibration and emission testing is performed on Webasto heaters to ensure high quality performance and reliability. Webasto spends millions of dollars annually in research and development, continually striving for quality and innovation.

Webasto heaters … the number one choice for driver comfort world-wide.

P/N 909509 • 4/13 • Errors and omissions excepted • Printed in USA • © Webasto Thermo & Comfort North America, Inc.

Webasto Thermo & Comfort
North America, Inc.
15083 North Road
Fenton, Michigan 48430
USA

Toll Free: 800-860-7866

www.SmarTempControl.com

Webasto
Feel the Drive

SmarTemp Control

Precision Bunk Temperature Management

Revolutionizing Climate Control

The SmarTemp Control from Webasto is a revolutionary temperature controller that works with Air Top 2000 ST bunk heaters. Precisely manage the comfort of your bunk with a turn of a dial. No more idling to stay warm. No more guessing at the temperature. Maintain constant bunk temperatures and lower fuel costs. With Webasto's SmarTemp Control, life just got more comfortable.

NEW SmarTemp Control

Instant-On Button

Smart Indicator LED's
- Red for Heat Mode
- Blue for Vent Mode
- Blinking Red for Diagnostic Codes

Ambient Temperature Display

Menu Select Button

Ergonomic Comfort Dial

Set Temperature Display

USB Connection

Temperature Sensor

SmarTemp Control Features:

- Controls Webasto Air Top 2000 ST bunk heaters
- Easy one click-to-one degree temperature adjustment dial
- Large backlit LCD screen
- USB connection for PC diagnostics
- Displays set temperature and ambient bunk temperature
- Password protected options for preventive maintenance reminders, low voltage disconnect threshold, adjustable run time, farenheit & celsius measurements
- Menu language is available in English, French or Spanish